

ISO 9001
REGISTERED**AC Output, Wall Plug-in and DeskTop, Class 2 Transformers & ITE Transformers**Part Number Ordering System (See Page 78)
Output Plug/Cord Options (See Page 67)**General Specifications:****Input Voltage/ Frequency:**120VAC+/-10%/ 60Hz for N.A.Type Models
100VAC+/-10%/50-60Hz for Japan Models**Output Tolerance:**

+/-5% at full load

Configuration:Step Down AC/AC Transformer
North America Wall Plug-in or Dual Cord In/Out
(Tabletop Version for GT-3 or GT-7 Models only)**Operating Temperature:**

0° to +40° C

Humidity:

0% to 90% R.H., non-condensing

Storage Temperature:

-20° to 70° C

Dielectric Strength:

1500VAC pri-sec 1500VAC pri-ground / 500VAC sec-ground (option)

Enclosure:

Black Polycarbonate, UL94V-0

Cooling:

Thermal Convection, no-vents

Cords:Output: 6 ft. 2 conductor, 24-18AWG;
Input: 2 or 3 conductor, 18AWG SPT-1 (Tabletop only)**Safety:**GT-3, GT-7 models:
UL1310, C-UL22.2-223, CSA22.2-223, E132594
GT-8 models:
UL 60950/ 1950, C-UL 22.2-234, 950, Class I and II, E170507**EMI:**

FCC Class B

AC/AC Adapter Part Number Ordering System (See pg. 59)**1. Housing:**

W-Wall Plug-in; T-Dual Cord

2. Output:

A- AC Unregulated

3. Input:

0-120VAC, 60Hz; 4-100VAC, 50/60Hz

4. Input Plug Configuration:1-USA NEMA 1-15P, 2 prong; 2-USA NEMA 5-15P, 3 prong;
9- JAPAN 2 prong; A- JAPAN 3 prong**5. Output Voltage:**

Q:3V;A:5V;B:6V;C:7.5V;D:9V;E:12V;F:14V;G:15V;H:18, V;Z:20V;I:24V;Y:36V

INDOOR USE ONLY
FOR OUTDOOR TYPES SEE
AC/AC WEATHERPROOF ADAPTORS**Notes:**

- 1) Models with suffix (1) are readily available from GlobTek or distributor stock
- 2) For Japanese models add "J" after the Model No. (GT-3 only)
- 3) Within each Model, Output Current may vary from 50mA to Max. Load specified in 50mA increments preserving Output Voltage +/-5% Tolerance

Unit Size Codes: Case Size Codes:

35,41,48,57,60,66 and 06A through 200

GT-3 Models EI-35,41,48,57,60,66:

Transformer Core Size

GT-7 Models A:

N.A. Input Blade Style

06A through 200A:

Output Power (W)


P: Wall Plug Case; L: DeskTop Case

GT-8 Models EI-35R,41R,48R,57R:

Transformer Core Size

Options:

- 1) Primary Earth ground pin and secondary/shield ground (GT-3/GT-7 only)
- 2) Custom output cords, connectors and shielding arrangements
- 3) Other outputs or custom design per customer specifications

Schematic Diagram:AC Input:
120/100VAC
60Hz/50-60HzAC Output:
2.3VAC-36VAC
50mA-5,000mA

** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-3(J)41A-2.3-3000	2.3	3000	EI-41
GT-80305AC-3508	3.0	50	EI-35R
GT-80330AC-4109	3.0	300	EI-41R
GT-3(J)35A-3-400	3.0	400	EI-35
GT-80345AC-3508	3.0	450	EI-35R
GT-3(J)35A-3-800	3.0	800	EI-35
GT-80390AC-B11	3.0	900	EI-48R
GT-3(J)35A-3-900	3.0	900	EI-35
GT-8031AAC-3512	3.0	1000	EI-35R
GT-8031A2AC-3512	3.0	1200	EI-35R
GT-8031A3AC-3512	3.0	1300	EI-35R
GT-8031A5AC-4114	3.0	1500	EI-41X14R
GT-8031A8AC-4114	3.0	1800	EI-41X14R
GT-8032AAC-4114	3.0	2000	EI-41X14R

** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-8032A2AC-4114	3.0	2200	EI-48X14R
GT-8032A5AC-4818	3.0	2500	EI-41X18R
GT-8033AAC-5716	3.0	3000	EI-57X16R
GT-8033A8AC-5716	3.0	3800	EI-57X16R
GT-8034AAC-5720	3.0	4000	EI-57X20R
GT-7A10PA-3.5-2800	3.5	2800	A10AP
GT-3(J)35A-3.6-300	3.6	300	EI-35
GT-3(J)35A-3.6-700	3.6	700	EI-35
GT-3(J)35A-3.6-900	3.6	900	EI-35
GT-3(J)48A-4-1000	4.0	1000	EI-48
GT-804505AC-3508	4.5	50	EI-35R
GT-804525AC-3508	4.5	250	EI-35R
GT-804535AC-3508	4.5	350	EI-35R
GT-3(J)35A-4.5-350	4.5	350	EI-35





ISO 9001
REGISTERED



AC/AC LINEAR ADAPTORS FOR NORTH AMERICA AND JAPAN

AC Output, Wall Plug-in and DeskTop, Class 2 Transformers & ITE Transformers

Part Number Ordering System (See Page 78)
Output Plug/Cord Options (See Page 67)



INDOOR USE ONLY
FOR OUTDOOR TYPES SEE
AC/AC WEATHERPROOF ADAPTORS



** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-804560AC-3512	4.5	600	EI-35R
GT-3(J)35A-4.5-700	4.5	700	EI-35
GT-3(J)35A-4.5-800	4.5	800	EI-35
GT-804585AC-3512	4.5	850	EI-35R
GT-3(J)41A-4.5-950	4.5	950	EI-41
GT-80451AAC-4109	4.5	1000	EI-41R
GT-3(J)41A-4.5-1000	4.5	1000	EI-41
GT-80451A3AC-4814	4.5	1300	EI-48X14R
GT-3(J)41A-4.5-1300	4.5	1300	EI-41
GT-80451A4AC-4114	4.5	1400	EI-41X14R
GT-80451A5AC-4814	4.5	1500	EI-48X14R
GT-3(J)41A-4.5-1600	4.5	1600	EI-41
GT-80451A8AC-4814	4.5	1800	EI-48X14R
GT-80452AAC-4814	4.5	2000	EI-48X14R
GT-80452A3AC-4818	4.5	2300	EI-48X18R
GT-80452A5AC-5716	4.5	2500	EI-57X16R
GT-80453AAC-5716	4.5	3000	EI-57X16R
GT-80453A4AC-5716	4.5	3400	EI-57X16R
GT-80453A8AC-5716	4.5	3800	EI-57X20R
GT-80454AAC-5725	4.5	4000	EI-57X25R
GT-80505AC-3508	5.0	50	EI-35R
GT-80510AC-3508	5.0	100	EI-35R
GT-80520AC-3508	5.0	200	EI-35R
GT-80530AC-3508	5.0	300	EI-35R
GT-3(J)35A-5-300	5.0	300	EI-35
GT-80560AC-3512	5.0	600	EI-35R
GT-3(J)35A-5-600	5.0	600	EI-35
GT-3(J)35A-5-700	5.0	700	EI-35
GT-3(J)41A-5-700	5.0	700	EI-41
GT-80580AC-3512	5.0	800	EI-35R
GT-80590AC-4109	5.0	900	EI-41R
GT-3(J)41A-5-900	5.0	900	EI-41
GT-3(J)41A-5-1200	5.0	1200	EI-41
GT-8051A3AC-4114	5.0	1300	EI-41X14R
GT-8051A4AC-4114	5.0	1400	EI-41X14R
GT-3(J)41A-5-1600	5.0	1600	EI-41
GT-8051A8AC-4814	5.0	1800	EI-48X14R
GT-8052AAC-4818	5.0	2000	EI-48X18R
GT-8052A5AC-4818	5.0	2500	EI-48X18R
GT-8052A7AC-5716	5.0	2700	EI-57X16R
GT-8052A9AC-5716	5.0	2900	EI-57X16R
GT-8053AAC-5716	5.0	3000	EI-57X16R

** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-8053A2AC-5716	5.0	3200	EI-57X16R
GT-8053A4AC-5716	5.0	3400	EI-57X16R
GT-8053A8AC-5720	5.0	3800	EI-57X20R
GT-80605AC-3508	6.0	50	EI-35R
GT-80610AC-3508	6.0	100	EI-35R
GT-80620AC-3508	6.0	200	EI-35R
GT-80625AC-3508	6.0	250	EI-35R
GT-3(J)35A-6-300	6.0	300	EI-35GT-
80650AC-3512	6.0	500	EI-35R
GT-3(J)35A-6-600	6.0	600	EI-35
GT-3(J)35A-6-700	6.0	700	EI-35
GT-80670AC-3512	6.0	700	EI-35R
GT-80680AC-4114	6.0	800	EI-41X14R
GT-80670AC-4114	6.0	900	EI-41X14R
GT-3(J)41A-6-900	6.0	900	EI-41
GT-8061AAC-4814	6.0	1000	EI-48X14R
GT-3(J)41A-6-1200	6.0	1200	EI-41
GT-8061A2AC-4114	6.0	1200	EI-41X14R
GT-8061A3AC-B11	6.0	1300	EI-48X14R
GT-8061A5AC-4814	6.0	1500	EI-48X14R
GT-3(J)41A-6-1500	6.0	1500	EI-41
GT-3(J)48A-6-1600	6.0	1600	EI-48
GT-7A10LA-6-1670	6.0	1670	A10AL
GT-3(J)48A-6-1800	6.0	1800	EI-48
GT-8062AAC-4818	6.0	2000	EI-48X18R
GT-3(J)48A-6-2000	6.0	2000	EI-48
GT-8062A5AC-5716	6.0	2500	EI-57X16R
GT-8062A7AC-5716	6.0	2700	EI-57X16R
GT-8063AAC-5720	6.0	3000	EI-57X20R
GT-8063A2AC-5720	6.0	3200	EI-57X20R
GT-8063A5AC-5725	6.0	3500	EI-57X25R
GT-7A30PA-6-5000	6.0	5000	A30AP
GT-3(J)41A-7-600	7.0	600	EI-41
GT-3(J)41A-7-800	7.0	800	EI-41
GT-3(J)41A-7-1100	7.0	1100	EI-41
GT-3(J)41A-7-1400	7.0	1400	EI-41
GT-807505AC-3508	7.5	50	EI-35R
GT-807510AC-3508	7.5	100	EI-35R
GT-807520AC-3512	7.5	200	EI-35R
GT-3(J)35A-7.5-250	7.5	250	EI-35
GT-807530AC-3512	7.5	300	EI-35R
GT-3(J)35A-7.5-500	7.5	500	EI-35

**AC Output, Wall Plug-in and DeskTop, Class 2 Transformers & ITE Transformers**

Part Number Ordering System (See Page 78)
Output Plug/Cord Options (See Page 67)



INDOOR USE ONLY
FOR OUTDOOR TYPES SEE
AC/AC WEATHERPROOF ADAPTORS

** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-807550AC-3512	7.5	500	EI-35R
GT-807560AC-3512	7.5	600	EI-35R
GT-3(J)35A-7.5-650	7.5	650	EI-35
GT-807580AC-4114	7.5	800	EI-41X14R
GT-3(J)41A-7.5-800	7.5	800	EI-41
GT-807590AC-4114	7.5	900	EI-41X14R
GT-80751A1AC-B11	7.5	1100	EI-48R
GT-3(J)41A-7.5-1100	7.5	1100	EI-41
GT-80751A3AC-4814	7.5	1300	EI-48X14R
GT-7A10LA-7.5-1330	7.5	1330	A10AL
GT-80751A4AC-4814	7.5	1400	EI-48X14R
GT-3(J)41A-7.5-1400	7.5	1400	EI-41
GT-80751A5AC-4818	7.5	1500	EI-48X18R
GT-80751A6AC-4818	7.5	1600	EI-48X18R
GT-3(J)48A-7.5-1700	7.5	1700	EI-48
GT-3(J)48A-7.5-1900	7.5	1900	EI-48
GT-80752AAC-5716	7.5	2000	EI-57X16R
GT-80752A1AC-5716	7.5	2100	EI-57X16R
GT-80752A5AC-5720	7.5	2500	EI-57X20R
GT-80752A6AC-5720	7.5	2600	EI-57X20R
GT-80753A5AC-5725	7.5	3500	EI-57X25R
GT-7A30PA-7.5-4000	8.0	4000	A30AP
GT-80805AC-3508	8.0	50	EI-35R
GT-80810AC-3508	8.0	100	EI-35R
GT-80820AC-3508	8.0	200	EI-35R
GT-3(J)35A-8-250	8.0	250	EI-35
GT-80830AC-3512	8.0	300	EI-35R
GT-3(J)35A-8-500	8.0	500	EI-35
GT-80850AC-3512	8.0	500	EI-35R
GT-80855AC-3512	8.0	550	EI-35R
GT-80860AC-4114	8.0	600	EI-41X14R
GT-3(J)35A-8-600	8.0	600	EI-35
GT-80880AC-4114	8.0	800	EI-41X14R
GT-80890AC-4114	8.0	900	EI-41X14R
GT-8081AAC-B11	8.0	1000	EI-48X14R
GT-8081A2AC-4814	8.0	1200	EI-48X14R
GT-8081A5AC-5716	8.0	1500	EI-57X16R
GT-8082A1AC-5716	8.0	2100	EI-57X16R
GT-80905AC-3508	9.0	50	EI-35R
GT-3(J)35A-9-150	9.0	150	EI-35
GT-80915AC-3508	9.0	150	EI-35R
GT-80920AC-3508	9.0	200	EI-35R

** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-80930AC-3512	9.0	300	EI-35R
GT-80930AC-3512	9.0	400	EI-35R
GT-3(J)35A-9-500	9.0	500	EI-35
GT-80950AC-3512	9.0	500	EI-35R
GT-80960AC-4114	9.0	600	EI-41X14R
GT-3(J)35A-9-600	9.0	600	EI-35
GT-3(J)41A-9-800	9.0	800	EI-41
GT-80980AC-4114	9.0	800	EI-41X14R
GT-80990AC-4814	9.0	900	EI-48X14R
GT-8091AAC-B11	9.0	1000	EI-48X14R
GT-3(J)41A-9-1000	9.0	1000	EI-41
GT-8091A1AC-4814	9.0	1100	EI-48X14R
GT-7A10LA-9-1110	9.0	1110	A10AL
GT-3(J)41A-9-1200	9.0	1200	EI-41
GT-8091A5AC-4818	9.0	1500	EI-48X18R
GT-3(J)41A-9-1500	9.0	1500	EI-41
GT-3(J)48A-9-1500	9.0	1500	EI-48
GT-8091A7AC-5716	9.0	1700	EI-57X16R
GT-3(J)48A-9-1800	9.0	1800	EI-48
GT-8092AAC-5716	9.0	2000	EI-57X16R
GT-8092A2AC-5720	9.0	2200	EI-57X20R
GT-8093AAC-5725	9.0	3000	EI-57X25R
GT-7A30PA-9-3330	9.0	3330	A30AP
GT-7A40PA-9-4440	9.0	4440	A40AP
GT-81005AC-3508	10.0	50	EI-35R
GT-81010AC-3508	10.0	100	EI-35R
GT-81015AC-3508	10.0	150	EI-35R
GT-81018AC-3508	10.0	180	EI-35R
GT-81030AC-3512	10.0	300	EI-35R
GT-81040AC-3512	10.0	400	EI-35R
GT-81045AC-3512	10.0	450	EI-35R
GT-3(J)41A-10-500	10.0	500	EI-41
GT-81060AC-4114	10.0	600	EI-41X14R
GT-81070AC-4114	10.0	700	EI-41X14R
GT-3(J)41A-10-750	10.0	750	EI-41
GT-81090AC-4114	10.0	900	EI-48R
GT-3(J)41A-10-900	10.0	900	EI-41
GT-8101AAC-4814	10.0	1000	EI-48X14R
GT-8101A1AC-4818	10.0	1100	EI-48X18R
GT-3(J)41A-10-1100	10.0	1100	EI-41
GT-3(J)48A-10-1100	10.0	1100	EI-48
GT-8101A2AC-4818	10.0	1200	EI-48X18R



ISO 9001
REGISTERED





ISO 9001
REGISTERED



AC/AC LINEAR ADAPTORS FOR NORTH AMERICA AND JAPAN

AC Output, Wall Plug-in and DeskTop, Class 2 Transformers & ITE Transformers

Part Number Ordering System (See Page 78)
Output Plug/Cord Options (See Page 67)



INDOOR USE ONLY
FOR OUTDOOR TYPES SEE
AC/AC WEATHERPROOF ADAPTORS



** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-8101A3AC-4818	10.0	1300	EI-48X18R
GT-3(J)48A-10-1400	10.0	1400	EI-48
GT-8101A5AC-5716	10.0	1500	EI-57X16R
GT-3(J)48A-10-1700	10.0	1700	EI-48
GT-8101A7AC-5716	10.0	1700	EI-57X16R
GT-8101A8AC-5720	10.0	1800	EI-57X20R
GT-8101A9AC-5720	10.0	1900	EI-57X20R
GT-8102A7AC-5725	10.0	2700	EI-57X25R
GT-81205AC-3508	12.0	50	EI-35R
GT-81210AC-3508	12.0	100	EI-35R
GT-81215AC-3508	12.0	150	EI-35R
GT-81220AC-3512	12.0	200	EI-35R
GT-3(J)35A-12-200	12.0	200	EI-35
GT-81230AC-3512	12.0	300	EI-35R
GT-81235AC-3512	12.0	350	EI-35R
GT-81240AC-4114	12.0	400	EI-41X14R
GT-3(J)35A-12-400	12.0	400	EI-35
GT-3(J)35A-12-500	12.0	500	EI-35
GT-81260AC-4114	12.0	600	EI-41X14R
GT-3(J)41A-12-600	12.0	600	EI-41
GT-81275AC-B11	12.0	750	EI-48X11R
GT-81280AC-4814	12.0	800	EI-48X14R
GT-3(J)41A-12-800	12.0	800	EI-41
GT-7A10LA-12-830	12.0	830	A10AL
GT-81290AC-4814	12.0	900	EI-48X14R
GT-3(J)41A-12-900	12.0	900	EI-41
GT-8121AAC-4818	12.0	1000	EI-48X18R
GT-8121A1AC-4818	12.0	1100	EI-48X18R
GT-3(J)41A-12-1200	12.0	1200	EI-41
GT-3(J)48A-12-1200	12.0	1200	EI-48
GT-8121A4AC-5716	12.0	1400	EI-57X16R
GT-3(J)48A-12-1500	12.0	1500	EI-48
GT-8121A5AC-5716	12.0	1500	EI-57X16R
GT-8121A6AC-5716	12.0	1600	EI-57X16R
GT-3(J)48A-12-1600	12.0	1600	EI-48
GT-7A20PA-12-1670	12.0	1670	A20AP
GT-8121A8AC-5720	12.0	1800	EI-57X20R
GT-7A24PA-12-1830	12.0	1830	A24AP
GT-8122A2AC-5725	12.0	2200	EI-57X25R
GT-7A30PA-12-2500	12.0	2500	A30AP
GT-7A36P(L)A-12-3000	12.0	3000	A36AP(L)
GT-7A40PA-12-3330	12.0	3330	A40AP

** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-7A50LA-12-4170	12.0	4170	A50AL
GT-7A60LA-12-5000	12.0	5000	A60AL
GT-81330AC-4814	13.0	300	EI-48X14R
GT-81380AC-4814	13.0	800	EI-48X14R
GT-8131AAC-5716	13.0	1000	EI-57X16R
GT-8131A2AC-5716	13.0	1200	EI-57X16R
GT-8131A4AC-5716	13.0	1400	EI-57X16R
GT-8131A5AC-5720	13.0	1500	EI-57X20R
GT-8131A6AC-5720	13.0	1600	EI-57X20R
GT-8132AAC-5725	13.0	2000	EI-57X25R
GT-7A30PA-13-2300	13.0	2300	A30AP
GT-7A40PA-13.5-2960	13.5	2960	A40AP
GT-7A30PA-13.8-2170	13.8	2170	A30AP
GT-81410AC-3512	14.0	100	EI-35R
GT-81430AC-3512	14.0	300	EI-35R
GT-3(J)41A-14-350	14.0	350	EI-41
GT-81440AC-4114	14.0	400	EI-41X14R
GT-81450AC-4114	14.0	500	EI-41X14R
GT-3(J)41A-14-500	14.0	500	EI-41
GT-81465AC-B11	14.0	650	EI-48X14R
GT-81470AC-4814	14.0	700	EI-48X14R
GT-3(J)41A-14-700	14.0	700	EI-41
GT-7A10LA-14-710	14.0	710	A10AL
GT-81475AC-4814	14.0	750	EI-48X14R
GT-3(J)41A-14-750	14.0	750	EI-41
GT-3(J)48A-14-800	14.0	800	EI-48
GT-81490AC-4818	14.0	900	EI-48X18R
GT-81495AC-4818	14.0	950	EI-48X18R
GT-3(J)48A-14-1100	14.0	1100	EI-48
GT-3(J)48A-14-1200	14.0	1200	EI-48
GT-8141A3AC-5716	14.0	1300	EI-57X16R
GT-8141A4AC-5716	14.0	1400	EI-57X16R
GT-8141A5AC-5720	14.0	1500	EI-57X20R
GT-8141A6AC-5720	14.0	1600	EI-57X20R
GT-3(J)57A-14-1800	14.0	1800	EI-57
GT-8142AAC-5725	14.0	2000	EI-57X25R
GT-7A30PA-14-2140	14.0	2140	A30AP
GT-7A40PA-14-2860	14.0	2860	A40AP
GT-81505AC-3508	15.0	50	EI-35R
GT-81510AC-3508	15.0	100	EI-35R
GT-81512AC-3508	15.0	120	EI-35R
GT-3(J)35A-15-150	15.0	150	EI-35

**AC Output, Wall Plug-in and DeskTop, Class 2 Transformers & ITE Transformers**

Part Number Ordering System (See Page 78)
Output Plug/Cord Options (See Page 67)



** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-81520AC-3512	15.0	200	EI-35R
GT-81525AC-3512	15.0	250	EI-35R
GT-81530AC-3512	15.0	300	EI-35R
GT-3(J)35A-15-350	15.0	350	EI-35
GT-81540AC-4114	15.0	400	EI-41X14R
GT-3(J)35A-15-400	15.0	400	EI-35
GT-81545AC-4114	15.0	450	EI-41X14R
GT-3(J)41A-15-500	15.0	500	EI-41
GT-81565AC-4814	15.0	650	EI-48X14R
GT-3(J)41A-15-650	15.0	650	EI-41
GT-7A10LA-15-670	15.0	670	A10AL
GT-81570AC-4814	15.0	700	EI-48X14R
GT-3(J)41A-15-750	15.0	750	EI-48X14R
GT-81580AC-4818	15.0	800	EI-48X18R
GT-81590AC-4818	15.0	900	EI-48X18R
GT-3(J)41A-15-1000	15.0	1000	EI-41
GT-3(J)48A-15-1100	15.0	1100	EI-48
GT-3(J)48A-15-1200	15.0	1200	EI-48
GT-8151A2AC-5716	15.0	1200	EI-57X16R
GT-8151A3AC-5716	15.0	1300	EI-57X16R
GT-3(J)48A-15-1500	15.0	1500	EI-48
GT-8151A5AC-5720	15.0	1500	EI-57X20R
GT-8151A6AC-5720	15.0	1800	EI-57X25R
GT-7A30PA-15-2000	15.0	2000	A30AP
GT-7A40PA-15-2860	15.0	2860	A40AP
GT-81605AC-3508	16.0	50	EI-35R
GT-81610AC-3508	16.0	100	EI-35R
GT-81620AC-3512	16.0	200	EI-35R
GT-81625AC-3512	16.0	250	EI-35R
GT-3(J)41A-16-250	16.0	250	EI-41
GT-81630AC-4109	16.0	300	EI-41R
GT-3(J)41A-16-350	16.0	350	EI-41
GT-3(J)41A-16-375	16.0	375	EI-41
GT-81640AC-4114	16.0	400	EI-41X14R
GT-81645AC-4114	16.0	450	EI-41X14R
GT-3(J)41A-16-500	16.0	500	EI-41
GT-81655AC-B11	16.0	550	EI-48R
GT-81660AC-4814	16.0	600	EI-48X14R
GT-3(J)41A-16-600	16.0	600	EI-41
GT-7A10LA-16-620	16.0	620	A10AL
GT-81665AC-4814	16.0	650	EI-48X14R
GT-81670AC-4818	16.0	700	EI-48X18R

** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-3(J)48A-16-700	16.0	700	EI-48
GT-81685AC-4818	16.0	850	EI-48X18R
GT-8161AAC-5716	16.0	1000	EI-57X16R
GT-3(J)48A-16-1000	16.0	1000	EI-48
GT-3(J)48A-16-1100	16.0	1100	EI-48
GT-8161A2AC-5716	16.0	1200	EI-57X16R
GT-8161A5AC-5720	16.0	1500	EI-57X20R
GT-8161A6AC-5725	16.0	1600	EI-57X25R
GT-8161A7AC-5725	16.0	1700	EI-57X25R
GT-7A30PA-16-1880	16.0	1880	A30AP
GT-7A40PA-16-2420	16.5	2420	A40AP
GT-81775AC-5720	17.0	750	EI-57X20R
GT-8171A4AC-5720	17.0	1400	EI-57X20R
GT-81805AC-3508	18.0	50	EI-35R
GT-81810AC-3508	18.0	100	EI-35R
GT-81815AC-3512	18.0	150	EI-35R
GT-3(J)35A-18-150	18.0	150	EI-35
GT-81820AC-3512	18.0	200	EI-35R
GT-81825AC-3512	18.0	250	EI-35R
GT-81830AC-4114	18.0	300	EI-41X14R
GT-3(J)35A-18-300	18.0	300	EI-35
GT-3(J)35A-18-350	18.0	350	EI-35
GT-81840AC-4114	18.0	400	EI-41X14R
GT-3(J)41A-18-500	18.0	500	EI-41
GT-81855AC-B11	18.0	550	EI-48R
GT-3(J)41A-18-550	18.0	550	EI-41
GT-7A10LA-18-560	18.0	560	A10AL
GT-81860AC-4814	18.0	600	EI-48X14R
GT-3(J)41A-18-600	18.0	600	EI-41
GT-81865AC-4818	18.0	650	EI-48X18R
GT-81875AC-4818	18.0	750	EI-48X18R
GT-3(J)48A-18-800	18.0	800	EI-48
GT-81895AC-5716	18.0	950	EI-57X16R
GT-3(J)48A-18-1000	18.0	1000	EI-48
GT-8181AAC-57216	18.0	1000	EI-57X16R
GT-8181A1AC-5716	18.0	1100	EI-57X16R
GT-8181A3AC-5720	18.0	1300	EI-57X20R
GT-8181A5AC-5725	18.0	1500	EI-57X25R
GT-7A30PA-18-1670	18.0	1670	A30AP
GT-7A40PA-18-2220	18.0	2220	A40AP
GT-3(J)41A-19-300	19.0	300	EI-41
GT-3(J)41A-19-450	19.0	450	EI-41



ISO 9001
REGISTERED





ISO 9001
REGISTERED



AC/AC LINEAR ADAPTORS FOR NORTH AMERICA AND JAPAN

AC Output, Wall Plug-in and DeskTop, Class 2 Transformers & ITE Transformers

Part Number Ordering System (See Page 78)
Output Plug/Cord Options (See Page 67)



INDOOR USE ONLY
FOR OUTDOOR TYPES SEE
AC/AC WEATHERPROOF ADAPTORS



** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-3(J)41A-19-500	19.0	500	EI-41
GT-3(J)41A-19-550	19.0	550	EI-41
GT-82005AC-3508	20.0	50	EI-35R
GT-82008AC-3508	20.0	80	EI-35R
GT-82010AC-3512	20.0	100	EI-35R
GT-82015AC-3512	20.0	150	EI-35R
GT-82020AC-3512	20.0	200	EI-35R
GT-82020AC-4109	20.0	200	EI-41X14R
GT-3(J)35A-20-200	20.0	200	EI-35
GT-82030AC-4114	20.0	300	EI-41X14R
GT-82040AC-B11	20.0	400	EI-41X14R
GT-82045AC-B11	20.0	450	EI-41X14R
GT-82050AC-4814	20.0	500	EI-41X14R
GT-7A10LA-20-500	20.0	500	A10AL
GT-82060AC-4818	20.0	600	EI-48X18R
GT-7A12PA-20-600	20.0	600	A12AP
GT-82065AC-4818	20.0	650	EI-48X18R
GT-82070AC-4818	20.0	700	EI-48X18R
GT-82090AC-5716	20.0	900	EI-57X16R
GT-82095AC-5716	20.0	950	EI-57X16R
GT-8201AAC-5720	20.0	1000	EI-57X20R
GT-8201A25AC-5720	20.0	1250	EI-57X20R
GT-8201A4AC-5725	20.0	1400	EI-57X25R
GT-7A30PA-20-1500	20.0	1500	A30AP
GT-7A40PA-20-2000	20.0	2000	A40AP
GT-3(J)35A-21-100	21.0	100	EI-35
GT-3(J)35A-21-250	21.0	250	EI-35
GT-3(J)35A-21-300	21.0	300	EI-35
GT-3(J)41A-21-300	21.0	300	EI-41
GT-3(J)41A-21-400	21.0	400	EI-41
GT-3(J)41A-21-450	21.0	450	EI-41
GT-3(J)41A-21-500	21.0	500	EI-41
GT-3(J)48A-21-650	21.0	650	EI-48
GT-3(J)48A-21-850	21.0	850	EI-48
GT-82205AC-3508	22.0	50	EI-35R
GT-82210AC-3512	22.0	100	EI-35R
GT-82220AC-3512	22.0	200	EI-35R
GT-82225AC-4114	22.0	250	EI-41X14R
GT-82230AC-4114	22.0	300	EI-41X14R
GT-7A10LA-22-450	22.0	450	A10AL
GT-82250AC-5716	22.0	500	EI-57X16R
GT-7A12PA-22-540	22.0	540	A12AP

** MODEL NUMBER	OUTPUT (VAC)	* MAX CURRENT (MA)	CASE SIZE
GT-82260AC-4818	22.0	600	EI-48X18R
GT-82280AC-5716	22.0	800	EI-57X16R
GT-82290AC-5716	22.0	900	EI-57X16R
GT-8221AAC-5720	22.0	1000	EI-57X20R
GT-8221A1AC-5725	22.0	1100	EI-57X25R
GT-8221A2AC-5725	22.0	1200	EI-57X25R
GT-7A30PA-22-1360	22.0	1360	A30AP
GT-7A33LA-22-1500	22.0	1500	A33AL
GT-7A40PA-22-1820	22.0	1820	A40AP
GT-82405AC-3508	24.0	50	EI-35R
GT-82410AC-4114	24.0	100	41X14R
GT-3(J)35A-24-100	24.0	100	EI-35
GT-3(J)35A-24-150	24.0	150	EI-35
GT-82420AC-3508	24.0	200	EI-41X14R
GT-3(J)35A-24-200	24.0	200	EI-35
GT-82425AC-4114	24.0	250	41X14R
GT-82430AC-4114	24.0	300	EI-41X14R
GT-3(J)41A-24-300	24.0	300	EI-41
GT-82440AC-4814	24.0	400	48X14R
GT-3(J)41A-24-400	24.0	400	EI-41
GT-7A10LA-24-420	24.0	420	A10AL
GT-82445AC-4814	24.0	450	EI-48X14R
GT-3(J)41A-24-450	24.0	450	EI-41
GT-3(J)41A-24-500	24.0	500	EI-41
GT-82450AC-4818	24.0	500	EI-48X18R
GT-82455AC-4818	24.0	550	EI-48X18R
GT-3(J)48A-24-600	24.0	600	EI-48
GT-82470AC-5716	24.0	700	EI-57X16R
GT-3(J)48A-24-750	24.0	750	EI-48
GT-82480AC-5716	24.0	800	EI-57X16R
GT-7A20PA-24-830	24.0	830	A20AP
GT-82495AC-5720	24.0	850	EI-57X20R
GT-7A24PA-24-1000	24.0	1000	A24AP
GT-8241A2AC-5725	24.0	1200	EI-57X25R
GT-7A30PA-24-1250	24.0	1250	A30AP
GT-7A33LA-24-1250CT	24.0	1250	A33AL
GT-7A36PA-24-1500	24.0	1500	A36AP
GT-7A40PA-24-1670	24.0	1670	A40AP
GT-7A60LA-24-2500	24.0	2500	A60AL
GT-7A36PA-36-1000	36.0	1000	A36AP