

Delivering leading edge, innovative power solutions for more than 30 years....

Model:Multi unit Charger

May 15, 2024

Multi unit Charger

Information

Model Number	Multi unit Charger
Description	Multi unit Charger, Power Supply, Desktop/External, Regulated Switchmode AC-DC Power Supply AC Adaptor, , Input Rating: 100-240V~, 50-60Hz, , Output Rating: 0 Watts, Power rating with convection cooling (W) , V in 0.1V increments, Approvals: RCM; ETL; India BIS pending; CB 60335;
Model Picture	.
Agency Documents	http://www.globtek.info/certs/GT-93600/
CE EC-Declaration	https://www.globtek.com/pdf/ec_declaration/a0O0c00000PIOCBEA5
RoHS/RoHS2 Declaration	https://www.globtek.com/pdf/rohs_cert/a0O0c00000PIOCBEA5
REACH Declaration	https://www.globtek.com/pdf/iso_certificates/REACH.pdf
Conflict Minerals Declaration	https://www.globtek.com/pdf/conflict-minerals.pdf

Delivering leading edge, innovative power solutions for more than 30 years....

Model:Multi unit Charger

May 15, 2024

MODEL PARAMETERS

Type	Desktop/External
Technology	Regulated Switchmode AC-DC Power Supply AC Adaptor
Category	Power Supply
Input Voltage	100-240V~, 50-60Hz
I/P Amps (A)	0
Wattage (W)	0.0
Vout Range (V)	
Efficiency Level	
Ingress Protection	
Size (mm)	

Delivering leading edge, innovative power solutions for more than **30** years....

Model:Multi unit Charger

May 15, 2024

ENCLOSURE

Delivering leading edge, innovative power solutions for more than **30** years....

Model:Multi unit Charger

May 15, 2024

RATING TABLE

Model Number	Voltage	Amps(A)	Watts(W)	RFQ
Battery Charger	V			RFQ

Delivering leading edge, innovative power solutions for more than **30** years....

Model:Multi unit Charger

May 15, 2024

SPECIFICATIONS

Delivering leading edge, innovative power solutions for more than **30** years....

Model:Multi unit Charger

May 15, 2024

DERATING CURVE

Delivering leading edge, innovative power solutions for more than **30** years....

Model:Multi unit Charger

May 15, 2024

INPUT CONFIGURATION

PROPRIETARY INFORMATION

PROPRIETARY OF GLOBTEK, INC. ANY REPRODUCTION, DISCLOSURE OR USE OF THIS DRAWING, IN WHOLE OR IN PART, IS HEREBY PROHIBITED
EXCEPT AS SPECIFIED IN WRITING BY GLOBTEK, INC.[n/a](#)

Delivering leading edge, innovative power solutions for more than 30 years....

Model:Multi unit Charger

May 15, 2024

OUTPUT CONFIGURATION

Common output connector options:



L Type (Coaxial
5.5x2.5mm plug)




C Type (Coaxial
5.5x2.1mm plug)



K Type (Coaxial
3.5x1.3mm plug)



LL Type (5.5x2.5mm
Locking 760k type)



CL Type (5.5x2.1mm
Locking S761k type)



ML2 Type (Molex
housing 43025-0200)



YL3 Type
(KPPX-3P)



YL4 Type (KPPX-4P)



EJ1/2/3/4/5 (EIAJ
RC-5320A type
connectors)



MSB Type (Micro
USB)



USBC Type (USB
Type C)



Inquire for custom
design

For a comprehensive list of options, [click here](#)



Contact GlobTek for your specific requirements or custom solutions.

Delivering leading edge, innovative power solutions for more than **30** years....

Model:Multi unit Charger

May 15, 2024

Approvals

Logo	Description
No Logo Applicable	IEC 60335-1:2010+A1+A2
	Information Technology Equipment Safety Part 1: General Requirements (UL 60950-1 Issued: 2007/03/27 Ed: 2 Rev: 2014/10/14) Information Technology Equipment Safety Part 1: General Requirements (CSA C22.2 No. 60950-1
IS 13252 (Part 1) IEC 60950-1  R-41017175 www.bis.gov.in	Bureau Of Indian Standards for GT-93600SHG3050 pending
 N136 SAA-180693-EA	RCM certificate SAA-180693-EA; Australia and New Zealand Regulatory Compliance, Mark (http://rcm.standards.org.au/rcmfaq/rcmfaq.htm)